

CORRES CONTROL
INCOMING LTR NO

00018 RF 95

DUE
DATE

ACTION



Department of Energy

000050027

ROCKY FLATS FIELD OFFICE

P.O. BOX 928

DENVER, COLORADO 80402 0928

JAN 3 2 05 PM '95

EC&G
ROCKY FLATS PLANT
CORRESPONDENCE CONTROL

DEC 23 1994

94-DOE-12637

Mr Martin Hestmark
U S Environmental Protection Agency, Region VIII
ATTN Rocky Flats Project Manager, 8HWM-FF
999 18th Street, Suite 500
Denver, Colorado 80202-2405

Mr Joe Schieffelin
Hazardous Waste Facilities Unit Leader
Colorado Department of Public Health and Environment
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530

Gentlemen

The U S Department of Energy, Rocky Flats Field Office is transmitting three Standard Operating Procedures (SOPs) which are enclosed for your review and subsequent concurrence/comments These SOPs address A) Data Completeness Check and Contract-Compliance Screening, B) Graded Validation, and C) Performance Evaluation of Laboratories

The Department of Energy is requesting that your organizations forward written correspondence indicating concurrence (and/or any other comments) by January 6, 1995 Your concurrence/comments are a prerequisite for Final Data Validation Plan (Rev 2) implementation

Please contact Norma I Castaneda at 966-4226 if you have any questions concerning this correspondence

Sincerely,

Steven W Slaten
IAG Project Coordinator
Environmental Restoration

Enclosure

CORRES CONTROL X X
ADMN RECORD/080 X 2
PATS/T130G

Reviewed for Addressee
Corres Control RFP

1-3-95
DATE

BY

Ref Ltr #

DOE ORDER # 5400.1

ADMIN RECORD

SW-SW-A-03018

M Hestmark & J Schieffelin
94-DOE-12637

2

DEC 23 1994

cc w/Enclosure
J Ciocco, EM-453 1, HQ
G Kleeman, EPA

cc w/o Enclosure
J Ahlquist, EM-45, HQ
C Gesalman, EM-453, HQ
J Roberson, ER, RFFO
N Castañeda, ER, RFFO
K Bentzen, EG&G
K Schoendaller, EG&G
D Stagg, EG&G
S Stuger, EG&G